

## Environmental Monitoring Data Report

**Company Name: allnex Industries (Aus) Pty Limited**

**Site: Botany**

**Address: 49-61 Stephen Road, Botany, NSW 2019**

**Licence No: 933**

*(Monitoring data from 1 Jan 2015)*



**Point-1: Discharge to Water**

Date of Sampling	Date Results Obtained	Element	BOD	COD	Total suspended solids	Oil & Grease	pH	Volume of liquid discharged (kL/day)															
		Unit of measure	mg/L	mg/L	mg/L	mg/L	pH	Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol				
		Frequency	Every discharge						Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol			
		Limits	20	50	30	10	6.5-8.5																
12/01/15	13/01/15	<5	22	<5	<5	7.3	14/01/15	85	15/01/15	143	16/01/15	150	19/01/15	149									
21/01/15	22/01/15	5	14	5	<5	7.5	23/01/15	148	24/01/15	134	27/01/15	144	28/01/15	128									
29/01/15	4/02/15	<5	12	<5	6	6.7	31/01/15	144	2/02/15	140	3/02/15	140	4/02/15	149									
16/02/15	18/02/15	6	24	5	<5	6.6	18/02/15	141	19/02/15	144	20/02/15	140											
26/02/15	2/03/15	<5	24	8	9	6.8	2/03/15	140	3/03/15	150	4/03/15	89											
31/03/15	2/04/15	8	42	9	<5	7.5	2/04/15	150	3/04/15	150													
7/04/15	9/04/15	<5	32	<5	<5	7.6	19/04/15	149	10/04/15	138	13/04/15	140	14/04/15	139									
22/04/15	23/04/15	<5	18	8	<5	7.4	24/04/15	140	27/04/15	140	2/04/15	140	29/04/15	138									
30/04/15	1/05/15	<5	10	<5	<5	7.4	4/05/15	140	5/05/15	139	6/05/15	136	7/05/15	140									
25/05/15	26/05/15	<5	24	11	<5	7.5	27/05/15	140	28/05/15	139	31/05/15	112											
19/06/15	22/06/15	<5	18	6	<5	7.4	23/06/15	140	24/06/15	141	25/06/15	145	26/06/15	145									
9/07/15	10/07/15	<5	19	<5	<5	7.6	13/07/15	150	14/07/15	144	15/07/15	149	16/07/15	147									
22/07/15	23/07/15	<5	15	<5	<5	7.7	24/07/15	133	25/07/15	149	27/07/15	150	28/07/15	149									
27/08/15	28/08/15	<5	16	<5	<5	7.7	9/01/15	150	2/09/15	140	3/09/15	144	7/09/15	142									
4/09/15	7/09/15	5	12	<5	<5	7.7	7/09/15	144	8/09/15	150	9/09/15	90	10/09/15	146									
25/09/15	26/09/15	<5	16	<5	<5	6.8	30/09/15	150	1/10/15	149	2/10/15	150	3/10/15	123									
22/10/15	23/10/15	18		14	<5	6.8	28/10/15	150	29/10/15	150	30/10/15	133											
4/11/15	5/11/15	9	29	6	<5	7.4	6/11/15	150	9/11/15	150	10/11/15	144											
16/11/15	17/11/15	<5	12	<5	<5	6.8	18/11/15	150	19/11/15	149	20/11/15	110											
17/12/15	21/12/15	9	30	<5	<5	6.9	21/12/15	110	22/12/15	150	23/12/15	150											
5/01/16	6/01/16	<5	12	<5	<5	7.9	7/01/16	148	8/01/16	145	11/01/16	134	12/01/16	146	13/01/16	72							
15/01/16	18/01/16	<5	13	<5	<5	7.7	19/01/16	144	20/01/16	140	21/01/16	100											
25/01/06	27/01/16	<5	17	<5	<5	6.9	28/01/16	146	29/01/16	140	30/01/16	140	1/02/16	133									
2/03/16	7/03/16	<5	29	<5	<5	7.4	7/03/16	144	8/03/16	141	9/03/16	101											
17/03/16	18/03/16	7	28	<5	<5	7.3	21/03/16	146	22/03/16	144	23/03/16	150	24/03/16	122									
30/03/16	1/04/16	<5	<10	<5	<5	7.4	1/04/16	145	4/04/16	150	5/04/16	150	6/04/16	140									
19/04/16	20/04/16	<5	25	8	<5	7.4	21/04/16	150	22/04/16	150	26/04/16	144	27/04/16	140									
31/05/16	1/06/16	<5	26	8	<5	7.5	2/06/16	150	3/06/16	149	4/06/16	150	6/06/16	150	7/06/16	144							
20/06/16	21/06/16	<5	11	<5	<5	7.4	22/06/16	150	23/06/16	150	24/06/16	144	25/06/16	137									
7/07/16	13/07/16	<5	19	<5	<5	7.6	9/07/16	144	11/07/16	150	12/07/16	149	13/07/16	146									
21/07/16	27/07/16	<5	12	<5	<5	7.3	22/07/16	144	23/07/16	150	25/07/16	150	26/07/16	133									
5/08/16	10/08/16	<5	13	<5	<5	7.6	9/08/16	144	10/08/16	144	11/08/16	150	12/08/16	149									
25/08/16	30/08/16	7	17	<5	<5	7.4	27/08/16	150	29/08/16	150	30/08/16	150	31/08/16	149									
5/09/16	12/09/16	<5	31	<5	<5	7.7	7/09/16	149	8/09/16	150	9/09/16	133											
18/09/16	20/09/16	<5	25	<5	<5	7.8	21/09/16	97	22/09/16	150	23/09/16	149	24/09/16	100									
4/10/16	5/10/16	<5	16	<5	<5	7.8	6/10/16	150	7/10/16	100													
25/10/16	26/10/16	<5	21	<5	<5	8	27/10/16	150	28/10/16	149	31/10/16	144	1/11/16	144	2/11/16	96							
6/12/16	7/12/16	5	43	<5	<5	8	8/12/16	150	9/12/16	149	12/12/16	150	13/12/16	144									
19/12/16	20/12/16	<5	15	<5	<5	8.1	21/12/16	150	22/12/16	150													
18/01/17	19/01/17	<5	24	<5	<5	8.2	20/01/17	150	23/01/17	144	24/01/17	150	25/01/17	150									
8/02/17	9/02/17	9	30	6	<5	8.3	10/02/17	149	11/02/17	150	13/02/17	150	24/02/17	148									
31/03/17	3/04/17	<5	12	<5	<5	8	5/04/17	150	6/04/17	150	7/04/17	149	8/04/17	150									
18/04/17	19/04/17	<5	12	<5	<5	8	20/04/17	150	21/04/17	150	22/04/17	150	24/04/17	145									
22/05/17	23/05/17	9	43	6	<5	7.9	23/05/17	150	24/05/17	144	25/05/17	150	26/05/17	148									
15/06/17	20/06/17	<5	<10	7	<5	7.9	20/06/17	150	21/06/17	149	22/06/17	150	23/06/17	150									
4/07/17	6/07/17	<5	20	<5	<5	7.9	6/07/17	149	7/07/17	140													
13/07/17	14/07/17	<5	30	11	<5	8	17/07/17	150	18/07/17	146	19/07/17	149	20/07/17	59									
3/08/17	4/08/17	<5	22	<5	<5	8	7/08/17	150	8/08/17	149	9/08/17	146											



**Point-2: Discharge to Air**

Element	Carbon dioxide	Dry gas density	Moisture content	Molecular weight of stack gases	Nitrogen Oxides	Temperature	Velocity	Volatile organic compound	Volumetric flow rate		
Unit of measure	%	kg/m3	%	g/gmole	mg/m3	deg C	m/s	mg/m3	m3/s		
Frequency	Annual	Annual	Annual	Annual	Annual	Continuous	Annual	Annual	Continuous		
Date of Sampling	Date Results obtained	Test Results									
3/07/2015	3/08/2015	Min	3	N/A	N/A	N/A	130	N/A	N/A	N/A	N/A
		Avg	3.2	1.3	4.2	29.2	140	614	15	<0.018	2.8
		Max	3.4	N/A	N/A	N/A	150	N/A	N/A	N/A	N/A
20/07/2016	19/08/2016	Min	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Avg	3.5	1.3	4.3	29.3	190	613	15	<0.04	2.7
		Max	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
29/06/2017	25/07/2017	Min	2.7	N/A	N/A	N/A	200	N/A	N/A	N/A	N/A
		Avg	2.8	1.3	6	29.2	220	604	16	<0.03	2.9
		Max	3	N/A	N/A	N/A	230	N/A	N/A	N/A	N/A
27/08/2018	19/09/2018	Min	2	N/A	N/A	N/A	80	N/A	N/A	N/A	N/A
		Avg	2.8	1.3	6.3	29.2	130	573	15	0.76	2.8
		Max	3.9	N/A	N/A	N/A	200	N/A	N/A	N/A	N/A
19/06/2019	12/07/2019	Min	2.6	N/A	N/A	N/A	120	N/A	N/A	N/A	N/A
		Avg	2.8	1.3	5.2	5.2	160	614	18	<0.1	3.3
		Max	3.1	N/A	N/A	N/A	180	N/A	N/A	N/A	N/A

**Point-4: Thermal Oxidiser**

Month	Combustion Temperature (°C)			Residence Time (s)		
	Min	Max	Mean	Min	Max	Mean
Jan-15	763	873	773	1	2	1
Feb-15	761	788	773	1	3	1
Mar-15	773	774	773	1	1	1
Apr-15	773	774	773	1	1	1
May-15	773	774	773	1	1	1
Jun-15	773	775	774	1	1	1
Jul-15	773	774	773	1	1	1
Aug-15	773	774	773	1	1	1
Sep-15	773	773	773	1	1	1
Oct-15	773	773	773	1	1	1
Nov-15	773	773	773	1	1	1
Dec-15	773	773	773	2	2	2
Jan-16	760	782	771	2	2	2
Feb-16	768	768	768	2	2	2
Mar-16	767	768	768	2	2	2
Apr-16	768	768	768	2	2	2
May-16	766	766	766	2	2	2
Jun-16	768	768	768	2	2	2
Jul-16	768	768	768	2	2	2
Aug-16	768	768	768	2	2	2
Sep-16	768	768	768	2	2	2
Oct-16	768	768	768	2	2	2
Nov-16	768	768	768	2	2	2
Dec-16	768	768	768	2	2	2
Jan-17	768	768	768	2	2	2
Feb-17	768	768	768	2	2	2
Mar-17	768	768	768	2	2	2
Apr-17	766	767	766	2	2	2
May-17	768	768	768	2	2	2
Jun-17	768	768	768	2	2	2
Jul-17	768	768	768	2	2	2
Aug-17	768	768	768	2	2	2
Sep-17	768	768	768	2	2	2
Oct-17	768	768	768	2	2	2
Nov-17	768	768	768	2	2	2
Dec-17	768	768	768	2	2	2
Jan-18	762	762	762	2	2	2
Feb-18	760	761	765	2	2	2
Mar-18	764	765	764	2	2	2
Apr-18	763	764	763	2	2	2
May-18	764	765	765	2	2	2
Jun-18	769	770	770	2	2	2
Jul-18	769	771	770	2	2	2
Aug-18	769	771	770	2	2	2
Sep-18	769	770	769	2	2	2
Oct-18	768	770	769	2	2	2
Nov-18	769	770	769	2	2	2
Dec-18	769	770	770	2	2	2
Jan-19	769	770	770	2	2	2
Feb-19	769	770	770	2	2	2
Mar-19	769	770	770	2	2	2
Apr-19	769	770	770	2	2	2
May-19	769	770	770	2	2	2
Jun-19	770	770	770	2	2	2

**Point-5: AS/SVE Emission Stack**

Date of Sampling	Element	Total Volatile Organic Compounds	Toluene	Ethylbenzene	Xylene	Chloroform	Methylene Chloride	Vinyl Chloride
	Unit of Measure	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>
	Limit	428	117	250	61	-	-	-
Date Results Obtained	Test Results							
21/01/2015	22/01/2015	7.9	0.23	0.05	5.2	< 0.024	< 0.17	< 0.013
10/02/2015	11/02/2015	4.7	0.62	<0.022	3.1	< 0.024	< 0.17	< 0.013
11/03/2015	12/03/2015	5.1	1.10	0.05	3.0	< 0.024	< 0.17	< 0.013
15/04/2015	16/04/2015	3.3	0.66	<0.022	2.0	< 0.024	< 0.17	< 0.013
7/05/2015	8/05/2015	3.7	0.77	<0.022	1.7	< 0.024	< 0.17	< 0.013
18/06/2015	19/06/2015	3.9	0.28	0.02	2.4	< 0.024	< 0.17	< 0.013
15/07/2015	15/07/2015	1.6	0.13	0.06	0.8	< 0.024	< 0.17	< 0.013
31/08/2015	1/09/2015	1.8	0.19	<0.022	1.1	< 0.024	< 0.17	< 0.013
9/09/2015	10/09/2015	1.3	0.08	<0.022	0.8	< 0.024	< 0.17	< 0.013
14/10/2015	15/10/2015	2.7	1.20	<0.020	0.7	< 0.020	< 0.17	< 0.010
26/11/2015	27/11/2015	24.4	5.20	0.35	5.9	< 0.020	< 0.17	< 0.010
21/12/2015	22/12/2015	2.5	1.10	<0.020	1.0	< 0.020	< 0.20	< 0.010
28/01/2016	29/01/2016	2.2	0.78	<0.020	0.9	< 0.020	< 0.20	< 0.010
24/02/2016	25/02/2016	0.6	0.06	<0.020	0.1	< 0.020	< 0.17	< 0.010
17/03/2016	18/03/2016	3.0	0.70	<0.020	1.2	< 0.020	< 0.17	< 0.010
13/04/2016	14/04/2016	1.1	0.02	<0.020	0.5	< 0.020	< 0.17	< 0.010
26/05/2016	27/05/2016	1.8	0.81	0.04	0.5	< 0.020	< 0.17	< 0.010
15/06/2016	16/06/2016	0.9	0.10	<0.020	0.3	< 0.020	< 0.17	< 0.010
20/07/2016	21/07/2016	1.2	0.60	<0.020	0.4	< 0.020	< 0.17	< 0.010
15/08/2016	16/08/2016	0.8	0.10	0.06	0.4	< 0.020	< 0.17	< 0.010
20/09/2016	21/09/2016	2.2	0.05	0.03	0.4	< 0.020	< 0.17	< 0.010
6/10/2016	7/10/2016	0.9	0.10	0.03	0.4	< 0.020	< 0.17	< 0.010
29/11/2016	30/11/2016	3.5	0.28	0.10	1.9	< 0.020	< 0.17	< 0.010
8/12/2016	9/12/2016	2.9	0.29	0.02	1.8	< 0.020	< 0.17	< 0.010
19/01/2017	20/01/2017	6.4	0.45	0.08	4.0	< 0.020	< 0.17	< 0.010
20/02/2017	21/02/2017*	10.3	0.54	0.04	6.8	< 0.025	< 0.18	< 0.013
6/03/2017	7/03/2017	8.2	0.31	<0.020	5.5	< 0.020	< 0.20	< 0.010
3/04/2017	4/04/2017	4.2	0.32	0.03	2.6	< 0.020	< 0.20	< 0.010
22/06/2017	23/06/2017	3.9	0.20	<0.020	1.8	< 0.020	< 0.20	< 0.010
17/07/2017	21/07/2017	3.0	0.20	<0.020	1.6	< 0.020	< 0.20	< 0.010
3/08/2017	4/08/2017	3.0	0.10	0.04	1.9	< 0.024	< 0.17	< 0.013
5/09/2017	6/09/2017	2.3	0.29	<0.022	1.1	< 0.024	< 0.17	< 0.013
9/10/2017	10/10/2017	8.6	0.23	0.03	2.1	< 0.024	< 0.17	< 0.013
27/11/2017	28/11/2017	4.0	0.47	0.05	2.4	< 0.024	< 0.17	< 0.013
20/12/2017	21/12/2017	6.0	0.71	0.20	3.3	< 0.024	< 0.17	< 0.013
30/01/2018	31/01/2018	4.5	0.61	0.09	2.6	< 0.024	< 0.17	< 0.013
22/02/2018	23/02/2018	4.6	0.20	<0.022	2.8	< 0.024	< 0.172	< 0.013
14/03/2018	15/03/2018	5.0	0.33	0.02	3.0	NA	NA	NA
25/06/2018	26/06/2018	2.3	0.41	0.20	1.3	NA	NA	NA
7/09/2018	8/09/2018	3.2	0.20	0.05	1.9	NA	NA	NA
9/11/2018	9/11/2018	2.0	0.22	0.09	1.1	NA	NA	NA
14/12/2018	14/12/2018	2.0	0.20	<0.022	1.2	NA	NA	NA
10/01/2019	10/01/2019	2.1	0.20	<0.022	1.2	NA	NA	NA
14/02/2019	14/02/2019	1.7	0.20	<0.022	1.0	NA	NA	NA
8/03/2019	8/03/2019	1.6	0.20	<0.022	0.9	NA	NA	NA
29/04/2019	29/04/2019	3.8	0.20	<0.022	2.4	NA	NA	NA
29/05/2019	29/05/2019	1.2	0.20	<0.022	0.6	NA	NA	NA
27/06/2019	27/06/2019	0.9	0.10	<0.022	0.6	NA	NA	NA
29/07/2019	30/07/2019	0.8	0.10	<0.022	0.5	NA	NA	NA
14/08/2019	15/08/2019	0.6	0.10	<0.022	0.4	NA	NA	NA

**Point-6: Groundwater Monitoring**

Date of Sampling	Element	1,2-Dichloroethane	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Carbon Tetrachloride	Chloroform	Chloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Vinyl chloride
	Unit of Measure	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Date Results Obtained	Test Results										
21/01/2015	22/01/2015	<100	<100	<100	<100	<100	<1000	<100	<100	<100	<1000
10/02/2015	18/02/2015	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
12/03/2015	23/03/2015	<100	<100	<100	<100	<100	<1000	<100	<100	<100	<1000
15/04/2015	23/05/2015	<100	<100	<100	<100	<100	<1000	<100	<100	<100	<50
7/05/2015	15/05/2015	<100	<100	<100	<100	<100	<1000	<100	<100	<100	<1000
18/06/2015	26/06/2015	<100	<100	<100	<100	<100	<1000	<100	<100	<100	<1000
15/07/2015	21/07/2015	<20	<20	<20	<20	<20	<200	<20	<20	<20	<200
31/08/2015	9/09/2015	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
9/09/2015	18/09/2015	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
2/11/2015	10/11/2015	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
26/11/2015	7/12/2015	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
21/12/2015	5/01/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
27/01/2016	10/02/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
24/02/2016	3/03/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
17/03/2016	30/03/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
13/04/2016	20/04/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
19/05/2016	26/05/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
15/06/2016	24/06/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
20/07/2016	27/07/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
15/08/2016	23/08/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
20/09/2016	28/09/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
6/10/2016	14/10/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
29/11/2016	8/12/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
8/12/2016	19/12/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
19/01/2017	30/01/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
20/02/2017	2/03/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
6/03/2017	14/03/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
3/04/2017	10/04/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
22/05/2017	29/05/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
26/06/2017	4/07/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
20/07/2017	28/07/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
3/08/2017	10/08/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
5/09/2017	15/09/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
9/10/2017	16/10/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
28/11/2017	8/12/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
20/12/2017	8/01/2018	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
30/01/2018	8/02/2018	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
22/02/2018	6/03/2018	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500

Element	Ethyl benzene	Toluene	TPH C6-C9 Fraction	TPH C10-C14	TPH C15-C28	TPH C29-C36	Volatile Organic Compounds	Xylene		
Unit of Measure	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
Date of Sampling	Date Results Obtained	Test Results								
14/03/2018	27/03/2018	28000	4050	86200	5930	780	<50	96481	24800	
25/06/2018	11/07/2018	18300	3010	41500	4780	520	<50	60670	15500	
7/09/2018	8/09/2018	13400	268	28500	1810	190	<50	38850	10280	
9/11/2018	9/11/2018	16800	283	33100	2270	190	<50	45090	10700	
14/12/2018	14/12/2018	22200	429	43000	3270	390	<50	52210	16180	
10/01/2019	10/01/2019	21900	362	53800	4690	320	<50	58650	16800	
14/02/2019	14/02/2019	27000	174	51700	3220	400	<50	56680	19600	
8/03/2019	8/03/2019	31200	545	64400	3600	250	<50	68306	20800	
29/04/2019	14/05/2019	22200	508	54000	3930	340	<50	58470	17400	
29/05/2019	12/06/2019	19600	393	50900	2310	170	<50	54230	14600	
27/06/2019	22/07/2019	22000	3120	56900	4610	<100	<50	63260	16000	
11/07/2019	22/07/2019	25900	12500	107000	1690	170	<50	106000	23200	

**Point-7: Groundwater Monitoring**

Date of Sampling	Element	1,2-Dichloroethane	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Carbon Tetrachloride	Chloroform	Chloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Vinyl chloride
	Unit of Measure	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
	<b>Date Results Obtained</b>	<b>Test Results</b>									
10/02/2015	18/02/2015	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
12/03/2015	23/03/2015	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
15/04/2015	23/04/2015	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
7/05/2015	15/05/2015	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
18/06/2015	26/06/2015	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
15/07/2015	21/07/2015	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
31/08/2015	9/09/2015	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
9/09/2015	18/09/2015	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
2/11/2015	10/11/2015	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
26/11/2015	7/12/2015	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
21/12/2015	5/01/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
27/01/2016	10/02/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
24/02/2016	3/03/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
16/03/2016	30/03/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
13/04/2016	20/04/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
19/05/2016	26/05/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
15/06/2016	24/06/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
20/07/2016	27/07/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
15/08/2016	23/08/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
21/09/2016	28/09/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
6/10/2016	14/10/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
29/11/2016	8/12/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
8/12/2016	19/12/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
19/01/2017	30/01/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
20/02/2017	2/03/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
7/03/2017	14/03/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
3/04/2017	10/04/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
22/05/2017	29/05/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
27/06/2017	4/07/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
20/07/2017	28/07/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
3/08/2017	10/08/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
8/09/2017	15/09/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
9/10/2017	16/10/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
28/11/2017	8/12/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
20/12/2017	8/01/2018	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
30/01/2018	8/02/2018	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
22/02/2018	6/03/2018	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
	Element	Ethyl benzene	Toluene	TPH C6-C9 Fraction	TPH C10-C14	TPH C15-C28	TPH C29-C36	Volatile Organic Compounds	Xylene		
	Unit of Measure	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
	<b>Date Results Obtained</b>	<b>Test Results</b>									
14/03/2018	27/03/2018	262	3	670	300	<100	<50	1021	177		
25/06/2018	11/07/2018	275	273	1170	140	<100	<50	1390	283		
7/09/2018	8/09/2018	32	3.0	80.0	70.0	<100	<50	106.0	22.0		
9/11/2018	9/11/2018	24	3.0	40.0	<50	<100	<50	85.0	12.0		
14/12/2018	14/12/2018	11	<2	20.0	<50	<100	<50	14.0	4.0		
10/01/2019	10/01/2019	4	<2	<20	<50	<100	<50	4.0	<2		
14/02/2019	14/02/2019	8	<2	<20	<50	<100	<50	11.0	3.0		
8/03/2019	8/03/2019	2	<2	<20	<50	<100	<50	2.0	<2		
29/04/2019	14/05/2019	234	330	2760	350	<100	<50	3120	1510		
29/05/2019	12/06/2019	225	20	1040	470	<100	<50	1399	384		
27/06/2019	22/07/2019	4	<2	30	<50	<100	<50	21	17		
11/07/2019	22/07/2019	10	<2	40	<50	<100	<50	32	22		